

---

# Bibliography

---

- [1] Edwin A. Abbott. *Flatland: A Romance of Many Dimensions*. Dover Publications, 1992.
- [2] Kevin A. Agatstein. *Oscillating Systems II: Sustained Oscillation*. *MIT System Dynamics in Education Project*, <http://ocw.mit.edu/courses/sloan-school-of-management/15-988-system-dynamics-self-study-fall-1998-spring-1999/readings/oscillating2.pdf>, 2001.
- [3] Albert-László Barabási. *Linked: How Everything is Connected to Everything Else and What It Means for Business, Science, and Everyday Life*. Plume, 2003.
- [4] Al-Khwārizmī, Muḥammad ibn Mūsā. *The Compendious Book on Calculation by Completion and Balancing*. Translated by Frederic Rosen as *The Algebra of Mohammed ben Musa*, 1831. [https://www.wilbourhall.org/pdfs/The\\_Algebra\\_of\\_Mohammed\\_Ben\\_Musa2.pdf](https://www.wilbourhall.org/pdfs/The_Algebra_of_Mohammed_Ben_Musa2.pdf)
- [5] Frank Bass. A new product growth model for consumer durables. *Management Science* 15(5):215–227, 1969.
- [6] Ruha Benjamin. *Race after Technology: Abolitionist Tools for the New Jim Code*. Polity Press, 2019.
- [7] Peter J. Bentley. *Digitized: The Science of Computers and How It Shapes Our World*. Oxford University Press, 2012.
- [8] Yogi Berra with Dave Kaplan. *When you Come to a Fork in the Road, Take it! Inspiration and Wisdom from One of Baseball's Greatest Heroes*. Hyperion, 2001.
- [9] Carey Caginalp. *Analytical and Numerical Results on Escape of Brownian Particles*. B. Phil. thesis, University of Pittsburgh, 2011.
- [10] William J. Cook. *In Pursuit of the Traveling Salesman: Mathematics at the Limits of Computation*. Princeton University Press, 2012.
- [11] Kord Davis. *Ethics of Big Data: Balancing Risk and Innovation*. O'Reilly Media, 2012.
- [12] Delta Airlines North American route map. <https://www.delta.com/content/dam/delta-www/pdfs/route-maps/us-route-map.pdf>
- [13] Allen B. Downey. *Think Complexity*. O'Reilly Media, 2012.
- [14] Sir Arthur Conan Doyle. *The Adventures of Sherlock Holmes*. Harper, 1892.
- [15] Charles Duhigg. How Companies Learn Your Secrets. *The New York Times*, <http://www.nytimes.com/2012/02/19/magazine/shopping-habits.html>, published February 16, 2012.

- [16] Michael R. Fellows and Ian Parberry. SIGACT trying to get children excited about CS. *Computing Research News*, p. 7, January 1993.
- [17] Gary W. Flake. *The Computational Beauty of Nature*. MIT Press, 2000.
- [18] J. Fletcher. An Arithmetic Checksum for Serial Transmissions. *IEEE Transactions on Communications* 30(1):247–252, 1982.
- [19] Nigel Gilbert. *Agent-Based Models*. SAGE Publications, 2008.
- [20] Shawn Graham, Ian Milligan, and Scott Weingart. *Exploring Big Historical Data: the Historian’s Macroscope*. Imperial College Press, 2016.
- [21] Jessica Guynn. Marissa Mayer talks about Google at 10 — and 20. *Los Angeles Times*, <http://latimesblogs.latimes.com/technology/2008/09/marissa-mayer-t.html>, September 7, 2008.
- [22] David Harel. *Algorithmics: The Spirit of Computing*, third edition. Addison-Wesley, 2004.
- [23] W. Daniel Hillis. *The Pattern On The Stone: The Simple Ideas That Make Computers Work*. Basic Books, 1998.
- [24] Eric Hobsbawm. *The Age of Extremes: A History of the World, 1914-1991*. Vintage Books, 1994.
- [25] Andrew Hodges. *Alan Turing: The Enigma*. Princeton University Press, 1983.
- [26] Matthew L. Jockers. *Macroanalysis: Digital Methods & Literary History*. University of Illinois Press, 2013.
- [27] Deborah G. Johnson with Keith W. Miller. *Computer Ethics: Analyzing Information Technology*, fourth edition. Prentice Hall, 2009.
- [28] Steven Johnson. *Emergence: The Connected Lives of Ants, Brains, Cities, and Software*. Scribner, 2001.
- [29] William O. Kermack and Anderson G. McKendrick. A Contribution to the Mathematical Theory of Epidemics. *Proceedings of the Royal Society A* 115: 700–721, 1927.
- [30] Joseph Migga Kizza. *Ethical and Secure Computing: A Concise Module*, Second Edition. Springer Nature, 2019.
- [31] Donald E. Knuth. *The Art of Computer Programming*, volumes 1–4A. Addison-Wesley, 1968–2011.
- [32] Donald E. Knuth. Computer Programming as an Art. *Communications of the ACM* 17(12):667–673, 1974.
- [33] Donald E. Knuth. Computer Science and Mathematics. *American Scientist* 61(6), 1973.
- [34] Ehud Lamm and Ron Unger. *Biological Computation*. Chapman & Hall/CRC Press, 2011.
- [35] Barbara Liskov and Stephen Zilles. Programming with Abstract Data Types. In *Proceedings of the ACM Conference on Very High Level Languages*, SIGPLAN Notices 9(4):50–59, 1974.
- [36] Mark Lutz. *Programming Python*. O’Reilly Media, 1996.

- [37] John MacCormick. *Nine Algorithms that Changed the Future*. Princeton University Press, 2013.
- [38] Benoit B. Mandelbrot. *The Fractal Geometry of Nature*. Macmillan, 1983.
- [39] Steve McConnell. *Software Project Survival Guide: How to Be Sure Your First Important Project Isn't Your Last*. Microsoft Press, 1998.
- [40] Stanley Milgram. The Small-World Problem. *Psychology Today* 1(1):61–67, May 1967.
- [41] Leonard Mlodinow. *The Drunkard's Walk: How Randomness Rules Our Lives*. Vintage Books, 2009.
- [42] Philip Morrison and Phylis Morrison. 100 or so Books that shaped a Century of Science. *American Scientist* 87(6), November–December 1999.
- [43] Alexander J. Nicholson and Victor A. Bailey. The Balance of Animal Populations—Part I. *Proceedings of the Zoological Society of London* 105:551–598, 1935.
- [44] Safiya Umoja Noble. *Algorithms of Oppression: How Search Engines Reinforce Racism*. New York University Press, 2018.
- [45] Cathy O'Neil. *Weapons of Math Destruction: How Big Data Increases Inequality and Threatens Democracy*. Broadway Books, 2016.
- [46] Stephen K. Park and Keith W. Miller. Random Number Generators: Good Ones Are Hard to Find. *Communications of the ACM* 31(10):1192–1201, 1988.
- [47] William R. Pearson and David J. Lipman. Improved Tools for Biological Sequence Comparison. *Proceedings of the National Academy of Science* 85(8):2444–2448, 1988.
- [48] Jean R. Petit, *et al.* Climate and Atmospheric History of the Past 420,000 years from the Vostok Ice Core, Antarctica. *Nature* 399:429–436.
- [49] Charles Petzold. *CODE: The Hidden Language of Computer Hardware and Software*. Microsoft Press, 2000.
- [50] George Polya. *How to Solve It: A New Aspect of Mathematical Method*. Princeton University Press, 1945.
- [51] Jean-Yves1 Potvin. Genetic algorithms for the traveling salesman problem. *Annals of Operations Research* 63(3):337–370, 1996.
- [52] Przemyslaw Prusinkiewicz and Aristid Lindenmayer. *The Algorithmic Beauty of Plants*. <http://algorithmicbotany.org/papers/abop/abop.pdf>, 1990.
- [53] Mitchell Resnick. *Turtles, Termites, and Traffic Jams: Explorations in Massively Parallel Microworlds*. MIT Press, 1994.
- [54] Craig W. Reynolds. Flocks, Herds, and Schools: A Distributed Behavioral Model. *Computer Graphics, SIGGRAPH '87* 21(4):25–34, 1987.
- [55] Michael C. Schatz and Ben Langmead. The DNA Data Deluge. *IEEE Spectrum* 50(7):28–33, 2013.
- [56] Thomas C. Schelling. Dynamic Models of Segregation. *Journal of Mathematical Sociology* 1:143–186, 1971.
- [57] Thomas C. Schelling. *Micromotives and Macrobehavior*. W. W. Norton & Company, 1978.

- [58] Rachel Schutt and Cathy O’Neil. *Doing Data Science*. O’Reilly Media, 2014.
- [59] Dr. Seuss. *The Sneetches and Other Stories*. Random House, 1961.
- [60] Dennis Shasha and Cathy Lazere. *Natural Computing: DNA, Quantum Bits, and the Future of Smart Machines*. W. W. Norton & Company, 2010.
- [61] Angela B. Shiflet and George W. Shiflet. *Introduction to Computational Science: Modeling and Simulation for the Sciences*, second edition. Princeton University Press, 2014.
- [62] Ian Stewart. *The Mathematics of Life*. Basic Books, 2011.
- [63] Steven Strogatz. *Sync: How Order Emerges from Chaos in the Universe, Nature, and Daily Life*. Hyperion, 2003.
- [64] Alexander L. Taylor III, Peter Stoler, and Michael Moritz. The Wizard inside the Machine *Time* 123(6):64–73, April 1984.
- [65] Christophe Van den Bulte and Yogesh V. Joshi. New Product Diffusion with Influentials and Imitators. *Marketing Science* 26(3):400–421, 2007.
- [66] Duncan J. Watts. *Six Degrees: The Science of a Connected Age*. W. W. Norton & Company, 2004.
- [67] Wikipedia. Electricity sector in New Zealand. [http://en.wikipedia.org/w/index.php?title=Electricity\\_sector\\_in\\_New\\_Zealand](http://en.wikipedia.org/w/index.php?title=Electricity_sector_in_New_Zealand), 2014.
- [68] James Zachos, *et al.* Trends, Rhythms, and Aberrations in Global Climate 65 Ma to Present. *Science* 292: 686–692, 2001.
- [69] <http://www.pd4pic.com/nautilus-cephalopods-sea-holiday-memory-housing-2.html>, 2015.
- [70] <http://photojournal.jpl.nasa.gov/jpeg/PIA03424.jpg>, 2015.
- [71] <http://www.pd4pic.com/leaf-green-veins-radiating-patterned.html>, 2015.
- [72] <http://www.pd4pic.com/strait-of-malacca-sky-clouds-lightning-storm.html>, 2015.

# Index

Page numbers of the form O{section}-(page) and P{project}-(page) refer to page numbers in sections and projects, respectively, that are available on the book website.

- Abbott, Edwin, 335, 363
- abstract data type, 51, 223, 285, 469
  - accessor, 471
  - attribute, 51, 469, O12.3-1
  - constructor, 471
  - mutator, 471
  - operation, 51, 469, O12.3-5
- abstraction, 5–6, 49, 110, 129, 238
  - data, *see* abstract data type
  - functional, *see* functional abstraction
- accumulator, 130–149, 287
  - list, 152, 295
  - numerical, 132, 173
  - string, 225
- actual parameters, *see* arguments
- adder, O3.4-3
- adjacency list, 446
- adjacency matrix, 444
- admissions, P7.4-1
- ADT, *see* abstract data type
- Africa, 497, P7.7-2
- agent-based simulation, 470, O12.3-1, P8.1-1
- al-Khwārizmī, Muḥammad ibn Mūsā, 21
- algorithm, 7, 21, 109, O7.5-1
- ambiguity, 11
- amino acid, 486, O6.8-3
- amoeba, 160
- amoeboid, P12.3-1
- Analytical Engine, 106
- Apple, Inc., O10.5-2
- area, 179, 372, P9.2-2
- argument, 24
  - default, *see* default argument
  - keyword, *see* keyword argument
- array, *see* NumPy
- ASCII, 247
- assert** statement, 203
- assignment, 12, 25
- asymptote, O6.7-4
- asymptotic time complexity, O6.7-4
- atmosphere, 95, O4.4-4, P7.1-1
- attribute, *see* abstract data type
- average, *see* mean
- Babbage, Charles, 106
- Babylonian method, O4.5-4
- backtracking, 400, 403, P9.3-2
- Bacon, Kevin, P11.3-1
- bacteria, 147, O4.4-12
- bag of words model, 317
- Barabási, Albert-László, 468
- base case, 367, 378
- base pair, O6.8-2
- Bass diffusion model, P4.3-1
- Bass, Frank, P4.3-1
- Benjamin, Ruha, 47
- Bentley, Peter, 127
- Berra, Yogi, 165, 219
- bicycling, O7.7-6
- bigrams, 317
- binary notation, 113
- binary number system, 113, O3.4-1
  - converting from decimal, 117
  - converting to decimal, 113
- binary search algorithm, 408–418, 440
- binary search tree, O12.5-6, P10.2-1
- biology, 166, O6.8-1, P6.2-1
- bird, O12.3-1
- birthday problem, 310
- bit, 112
- bitmap, 113, 353, 356
- BMP image format, 356
- body of a loop, 12, 58
- boids model, O12.3-1
- Boolean expression, 155, 167, O3.4-3
- Boolean logic, 180
- Boolean operators, 115, 180
- Borda count, P7.6-1

- Borda, Jean-Charles de, P7.6-1
- botany, 166, O9.6-1, P9.1-1
- Botswana, 330
- bottom-up implementation, 14, 223
- boundary case, 38, 205, 206
- breadth-first search, 402, 451
- break**, 259
- Brown, Robert, 166, 219
- Brownian motion, 166
- Brownian tree, P8.3-1
- brute force, O10.5-2
- bus, 110
- byte, 113
- byte code, 112
- bytes** object, 243, 327
- Caginalp, Carey, P5.2-4
- calculus, 373, O4.4-7
- camelCase, 84
- cancer, O7.7-9
- carbon, O4.4-12, P7.1-1
- carrying capacity, P4.4-3
- cell
  - biological, 123, O9.6-2, P12.3-1
  - in a grid, 342, 400, O12.3-2, P8.1-1
  - memory, *see* memory cell
  - Turing machine, 125
- cellular automaton, 342
- central limit theorem, O5.3-3
- centroid, 486, O7.7-8, P9.2-2
- chaining, P12.2-1
- checksum, 246
  - Fletcher's algorithm, 249
- chi-squared distribution, O5.3-5
- Chomsky hierarchy, O9.6-1
- Chomsky, Noam, O9.6-1
- chr** function, 248
- chromosome, 123, P7.7-2
- Church-Turing thesis, 125
- circuit, O3.4-5
- class, 26, 51, 469
- class variable, 474, O12.5-4
- climate, 293, P7.1-1
- clock rate, 111, O10.5-2
- closed form, 391
- clustering coefficient, 459
- clustering, data, O7.7-1
- CMYK, 354
- coding region, O6.8-2
- codon, 307, 310, O6.8-2
- coffee, 104, P7.3-1
- collection, O12.4-1
- college, O4.4-10, P4.2-1
- collision, 166, O7.7-1
  - hash table, 315, O12.5-2, P12.2-1
- color models, 60, 354
- comma-separated values, 326, 330, 335, 425, O7.6-5, P12.1-4
- comments, 79
- common case, 38
- compactness, P9.2-2
- comparison operators, 168, 248, 493
- compiler, 108
- complement, O6.8-2
- complex numbers, 122
- compression, 356
  - image, 355
  - text, 250
- computation, 3
- computer security, 199
- concatenation operator, 27
- concordance, 256
- conditional statement, 16, 167–218
- Condorcet voting, P7.6-2
- consensus sequence, 324
- constant-time, 41, 282, 315, O7.5-9
- constructor, 473
- contagion, P11.2-1
  - social, P4.3-1
- continuous, 93, 354, O4.4-8
- converting between bases, O12.4-4
- Conway, John, 342
- coordinates, 53, 273, 345, 356, 404, 486, O7.6-2, P5.2-1
- copy module, 350
  - deepcopy**, 350
- core, *see* processor
- corner case, 38, 205, 206
- correctness, 15
- CPU, *see* processor
- CSV format, *see* comma-separated values
- Darcy's law, 95
- data abstraction, *see* abstract data type
- data mining, O7.6-1
- data science, 285, 333
- data structure, 407, O12.4-1
- database, 409, 411, 437, P12.2-1
- De Morgan's laws, 118, 185
- debugging, 37

- def, 67
- default argument, 488
- degree distribution, 462
- degrees, 88
- del operator, O12.5-6
- dendrite, P8.3-1
- depth-first search, 400, 457, 467, O12.4-6, P9.2-3
- design by contract, 199–203
- deterministic, 165
- dict class, 99, 311–325, 339, 353, 446, O7.5-9
  - in operator, 312
  - keys, 314
  - values, 315
- dictionary, 311
- dictionary ADT, O12.5-1–P10.2-4
- Difference Engine, 106
- difference equation, 390, O5.2-1
  - coupled, O4.4-8
- differential equation, O4.4-7
- diffusion, O4.4-11, P4.3-1
- diffusion-limited aggregation, P8.3-1
- digital humanities, *see* text analysis
- Dijkstra, Edsger, 46
- disease, 443, O6.8-4, P9.3-2
- distance, 94, 171, 451, 458, 496, 498, O12.3-4, P12.1-2
- distribution
  - degree, *see* degree distribution
  - probability, *see* probability distribution
- divide and conquer algorithm, 396, 433
- divide by zero error, 119
- division method, O12.5-2
- DNA, 123, 486, O6.8-1, P7.7-2
  - profile, 324
- docstring, 78, 201
- dot plot, 272, O6.8-7
- Downey, Allen, 468, 500
- Doyle, Sir Arthur Conan, 333
- duplicates, removing, O7.5-1
- earthquake, 325, 341, 409, 423, 425
- economics, 104, P7.3-1
- education, P7.2-1
- efficiency, 37, 39, 110, 242, 295, 393, 412, 416, 422, 430, 437, *see also* time complexity
- election, 496, P7.6-1
- Electronic Frontier Foundation, 334
- elementary step, 40, O6.7-1
- embryo, O6.8-14
- emergence, 342, 443, O12.3-1, P8.2-2
- employment, P7.2-1
- empty string, 224
- encapsulation, 53, 474
- encoding, 113, 241, 265
- ENIAC, O5.2-1
- epidemic, 463
- epidemic simulation
  - agent-based, 470
  - cellular automata, P8.4-1
  - network, P11.2-1
  - population model, O4.4-8
- epidemiology, P11.2-1
- epoch, O7.5-10
- equilibrium, P8.2-1
- error, 37, 111, 120, 133, 158, *see also*
  - exception, O4.4-7, P5.1-2
  - divide by zero, *see* divide by zero error
  - index, *see* index error
  - name, *see* name error
  - overflow, *see* overflow
  - syntax, *see* syntax error
- escape character, 227
- Escherichia coli*, O6.8-12, P6.2-1
- ethics, 37, 334
- Euclid's GCD algorithm, 386
- eukaryote, O6.8-3
- Euler's method, O4.4-7
- Euler's number, 93, OA-1, P8.2-1
- event loop, P12.1-4
- evolution, 463, O6.8-1, P7.7-1
- exception, 202, O12.4-3
  - AssertionError, 203
  - catching, 207, 286
  - FileNotFoundError, 240
  - IndexError, 251, 495
  - KeyError, O12.5-4
  - NameError, 31, 98
  - raising, O12.4-3
  - SyntaxError, 29, 58, 180
  - TypeError, 201
  - ZeroDivisionError, 119
- executable, 11
- executing algorithms, 10
- exhaustive search, O10.5-2
- exponential growth, 162, P4.4-3
- exponential-time algorithm, O10.5-2

- external sorting algorithm, 437
- Facebook, 444, 464, 466, P11.2-1
- factorial, 148, 386, P7.7-1
- FASTA, O6.8-9
- Fellows, Michael R., 1, 46
- ferromagnetism, P8.2-1
- fetch and execute cycle, 111
- Fibonacci numbers, 404, O4.4-11
- file object, 239
  - `close`, 240
  - `open`, 239
  - `read`, 240
  - `readline`, O6.8-10
  - `seek`, 263
  - `write`, 242
- file system, 238
- files, 238
  - closing, 240, 242
  - opening, 239
  - reading, 240
  - reset file pointer, 263
  - writing, 242
- finite state machine, 124
- fish, 130, 150, 155, O12.3-1
- fitness, P7.7-2
- flag variable, 172, 186, P5.2-2
- Flake, Gary, 500
- Flatland, 335, 363
- Flesch-Kincaid reading level, 6, 25
- Fletcher's algorithm, 249
- `float` class, 26
- `float` function, 27, 327
- floating point notation, 114
- flocking, O12.3-1
- flood fill algorithm, P9.2-3
- flooding, P7.5-1
- flower, 55
- fluid, 166, P8.3-1
- `for` loop, 58, 225, 241, 286, 315
- forensics, P12.1-1
- formal grammar, O9.6-1
- formal parameters, *see* parameters
- `format` function, 146, 262
- format string, *see* `format` function
- fractal, 367
  - Brownian tree, P8.3-1
  - dragon curve, O9.6-4
  - Hilbert curve, 374
  - Koch curve, 369
  - Lindenmayer system, O9.6-4
  - quadratic Koch curve, 373
  - Sierpinski carpet, 375
  - Sierpinski triangle, 373
  - tree, 367
- function, 24, 67, 78, 87
- function call, 27
- function invocation, *see* function call
- functional abstraction, 5–6, 24, 66, 106, 469
- functional decomposition, 8, 55, 223
- game, 107, 165, 210, 388, 418, P11.3-1
- Game of Life, 342
- garbage collection, 30
- gas, P8.3-1
  - greenhouse, P7.1-1
  - ideal, *see* ideal gas
  - natural, P9.3-1
- Gaussian distribution, *see* normal distribution
- gene, O5.3-2, P6.2-1
  - Hox*, *see* *Hox* gene
- genetic algorithm, P7.7-2
- genetic code, O6.8-3
- genome, O6.8-3, P7.7-1
- genomics, O6.8-1
- geology, 322, 325, P9.3-2
- geometric mean, 148
- gerrymandering, P9.2-1
- GIF image format, 356, OA-7
- gigabyte (GB), 96, 113
- gigahertz (GHz), 96, 111
- Gilbert, Nigel, 363, 500
- `global`, 80
- global namespace, 101
- Global Positioning System, P12.1-1
- global variable, 70, 78, 80
- `globals` function, 101
- Google, 106, 224
- GPA, 38, 96, 193, O7.6-1, P7.4-1
- grades, 38, 96, 193, 196, 485
- grammar
  - formal, *see* formal grammar
- graph, 444
  - connected, 457, 467
  - random, *see* random graph
- grayscale, 353, 357, 361
- greatest common divisor (GCD), 386
- grid, 166, 342, 353, 400, 459, O12.3-1, P12.3-1

- growth rate, 130, 143, 147, 160, 330, O4.4-1
- hailstone numbers, 217
- half-life, O4.4-12
- Hall, Monty, 178
- halting problem, 126
- Hamming distance, 279
- Harel, David, 127
- harmonic series, O4.5-2
- hash function, O12.5-8, P12.2-1
- hash table, 315, 409, O12.5-2–P10.2-4
- Hawking, Stephen, 129, 164
- Hello, world, 24, 47
- help** function, 82, O12.5-3
- hertz, 111
- heuristic, O10.5-2, P7.7-1
  - genetic algorithm, *see* genetic algorithm
  - k*-means clustering, *see k*-means clustering
- hexadecimal, 114, 493
- high performance computing, 109
- Hilbert curve, 374
- Hillis, Danny, 127
- histogram, 173, 178, 321, O5.3-2, P7.7-4
- Hodges, Andrew, 128
- Holmes, Sherlock, 285, 333
- House of Representatives, P9.2-1
- Hox* gene, O6.8-14
- HTML, *see* Hypertext Markup Language
- hub, 462, 466, P11.3-3
- Huffman coding, 250
- Hypertext Markup Language, 243
  
- ideal gas, 95, O5.3-1
- IDLE, 23, 47
- Idle, Eric, 47
- if**, 167
- if-then statement, *see* conditional
- Image** class, 357, OA-7
  - get**, 357, OA-7
  - height**, 357, OA-7
  - save**, 358, OA-7
  - set**, 358, OA-7
  - show**, 358, OA-7
  - update**, OA-7
  - width**, 357, OA-7
- image file formats, 356
  - BMP, *see* BMP image format
  - GIF, *see* GIF image format
  - JPEG, *see* JPEG image format
- image filter, 355–362
- image** module, 357
  - mainloop**, OA-7
- images, digital, 353–362
- immutable, 224, 319
- import**, 52, 78, 150
  - from**, 234
- in** operator, 226, O12.5-8
  - dictionary, 312
  - list, 272, O7.5-3
  - string, 226
- income, 140, 180, P12.2-1
- increment, 31
- independent cascade model, P11.1-1
- index error, 252
- index variable, 58
- indexing, 251, 288, 494
  - negative, *see* negative indexing
- indirect competition, O4.4-13
- infection, O4.4-8, P11.2-1
- infinite loop, 157, 202
- infinity, *see* **math** module, **inf**
- initial condition, O4.4-1
- input** function, 31, 211
- input/output, 3
- insertion sort algorithm, 427–433
- Instagram, 443
- instance variable, 51, 469
  - private**, 474
- int** function, 27, 211
- integer, 26
- Intel Corporation, 113, O10.5-2
- intelligence, 107, O12.3-1, P12.3-1
- interest rate, 93, 149, 154, 159, 196, 217, P4.2-1
- internal sorting algorithm, 437
- Internet, 4, 110, 165, 243, 443, 458
- Internet Movie Database (IMDb), P11.3-1
- interpreter, 24, 70, 78, 80, 102, 108
- interval notation, 167
- intractable, O10.5-1
- investment, 149, 154, 196, P4.2-2
- Ising model, P8.2-1
- isinstance** function, 201
- isotope, O4.4-4, P7.1-1
- iteration, 16, 57, 376
  - over a file, 241
  - over a list, 62, 268, 286
  - over a string, 225

- over dictionary keys, 315
  - over indices, 258, 289
- Jockers, Matthew L., 283
- Johnson, Deborah, 334
- Johnson, Steven, 363
- Johnston, Leslie, 221, 282
- JPEG image format, 356
- k*-means clustering, O7.7-1
- Kasparov, Garry, 107
- Keeling curve, P7.1-3
- Keeling, Charles David, P7.1-3
- Kermack, William, O4.4-8
- key, 311, 339, 409, 411, 446, O12.5-1, P10.2-1
- keyword argument, 153, 329
- Keyword in Context (KWIC), 282
- keywords, 29
- kilobyte (KB), 113
- Knuth, Donald E., 1, 46, 49, 106
- Koch curve, 369, O9.6-4
- Lamm, Ehud, 363
- latitude, 326, 330, 331, 341, 423, 497, P12.1-1
- Lazere, Cathy, 283
- Lehmer pseudorandom number generator, O5.2-1
- Lehmer, Derrick, O5.2-1
- Leibniz series, O4.5-3
- Leibniz, Gottfried, O4.5-3
- lemmatization, 222
- Lempel-Ziv-Welch algorithm, 250, 356
- len** function, 231, 286
- Let's Make a Deal, 178
- Library of Congress, 33, 221
- LIFO, O12.4-1
- limited precision, *see* precision
- Lindenmayer system, O9.6-1–P9.1-5
  - dragon curve, O9.6-4
  - Koch curve, O9.6-4
  - tree, P9.1-2
- Lindenmayer, Aristid, 406
- line continuation character, 98
- linear growth, 161
- linear regression, 498, O7.6-1
- linear search algorithm, 392, 404, 408, 440, O6.7-3
- linear-time algorithm, 42, 282, 395, 431, O7.5-9
- LinkedIn, 444
- liquid, 95, P9.3-1
- Liskov, Barbara, 500, O12.4-1
- list, 62, 418, *see also* **list** class
  - of lists, 337–342, 445
- list accumulator, 152, 295–297, 305, O7.5-4
- list** class, 150, 273, 286–310, 376, 407, OA-6
  - append**, 150, 337, 453, OA-6
  - clear**, 436, OA-6
  - concatenation operator **+**, 302
  - copy**, 301, OA-6
  - count**, OA-6
  - extend**, O7.5-7, P10.2-3
  - index**, 425, OA-6
  - insert**, 304, 429, OA-6
  - pop**, 304, 429, 453, OA-6, P9.1-1
    - in a loop, 304
  - remove**, 305, OA-6
  - repetition operator **\***, 302
  - reverse**, OA-6
  - sort**, 303, 414, OA-6, P12.2-3
    - reverse order, 316
- list comprehension, 305–307
- list** function, 138
- loan, 149, O4.4-1, P4.2-1
- local variable, 70, 98
- locals** function, 98
- logarithm, 93, OA-1, P8.2-1
- logarithmic-time algorithm, 413, 416, 417
- logic gates, O3.4-5
- logical operators, *see* Boolean operators
- Lonesome George, 52, 106
- longitude, 326, 330, 331, 341, 423, 497, P12.1-1
- loop, 11, 57, 155
- Lotka-Volterra model, P4.4-1
- Lovelace, Ada, 49, 106
- Luhn algorithm, 293
- MacCormick, John, 441
- machine cycle, *see* **fetch** and **execute** cycle
- machine language, 24, 108
- machine learning, 318
- macOS, 238
- Madhava of Sangamagrama, O4.5-6
- magic numbers, 83, O12.5-4
- main** function, 78
- Mandelbrot, Benoît, 365, 406
- mantissa, 120

- market, 104, 139, 165, P4.3-1
- math module
  - acos, OA-1
  - asin, OA-1
  - atan, OA-1
  - atan2, OA-1
  - cos, OA-1
  - degrees, OA-1
  - e, OA-1
  - exp, OA-1
  - inf, OA-1
  - log, OA-1
  - pi, OA-1
  - radians, OA-1
  - sin, OA-1
  - sqrt, OA-1
  - tan, OA-1
- math module, 88, OA-1
  - atan, P5.2-1
  - cos, 88
  - degrees, P5.2-2
  - e, 89
  - exp, 93, O4.5-3
  - inf, 454
  - log, P4.1-2
  - pi, 89, 91
  - radians, 88
  - sin, 146
  - sqrt, 88, 171, O4.5-6
- MATLAB, 150
- matplotlib.pyplot module, 150, OA-4
  - bar, OA-4
  - hist, OA-4
  - legend, 153, OA-4
  - plot, 152, OA-4
  - scatter, 273, OA-4
  - title, OA-4
  - xlabel, 153, OA-4
  - xticks, 321, 330, 331, OA-4, P7.2-2
  - ylabel, 153, OA-4
  - yticks, OA-4
- max function, 39
- Mayer, Marissa, 407, 441
- McKendrick, Anderson, O4.4-8
- mean, 286, 293, 308, 460, O5.3-1, P7.3-1
  - geometric, *see* geometric mean
- megabyte (MB), 113
- Melville, Herman, O6.7-3
- meme, O4.4-11, P11.1-1
- memory, 98, 109
- memory address, 53, 109, 493
- memory cell, 29, 98, 109, 113, 251
- merge sort algorithm, 433–441
- Mersenne twister, O5.2-4
- meteorite, 330
- method, 51, 469
- Metropolis algorithm, P8.2-1
- microsatellite, O6.8-12
- Milgram, Stanley, 468
- Miller, Keith, 219, 334
- min function, 39
- Mlodinow, Leonard, 219
- Moby Dick*, 240, 266, O6.7-3
- model, 102, 125, 129, 166, O4.4-5, P4.4-1
- module, 52, 166
- modulo operator, 121
- Mohs hardness scale, 322
- mole, 95
- molecule, 166, O3.4-5, P8.3-1
- Monte Carlo simulation, 171–175, 178, 179, 215, 217, 310, O5.3-4, P9.3-2
- Monty Python's Flying Circus, 23
- Moore's Law, O10.5-2
- Moore, Gordon, O10.5-2
- movie, 485, O12.5-9, P11.3-1
- moving average, *see* smoothing data
- mutable, 297
- $n \log n$ -time algorithm, 438
- $n$ -grams, 277, 317
- name error, 31
- namespace, 98, 234, 300, 493
- narrow escape problem, P5.2-1
- natural language processing, 224, 318
- Natural Language Toolkit (NLTK), 224
- negative indexing, 251
- neighborhood, 342, 346, 352, 447, 459, O12.3-4
- nested loop, 276, 282, 347, 350, 356, 421, 426, 429, 460, O7.5-10
- network, 443
  - actors, P11.3-1
  - airline, 463
  - data, 109
  - electrical, 444
  - epidemic, P11.2-1
  - neural, *see* neural network
  - simulation on a, P11.1-1
  - social, *see* social network

- neural network, 363, 444, 458
- newline character, 35, 98
- Newton's method, *see* Babylonian method
- Nicholson-Bailey model, P4.1-1
- Nilakantha series, O4.5-7
- NLP, *see* natural language processing
- Noble, Safiya Umoja, 47
- None, 28, 82, 173, 286, 303, O12.5-3
- normal distribution, 175, O5.3-1, P5.2-1
- normalization, 222
- NP-complete, O10.5-3
- nucleotide, O6.8-1
- numerical analysis, O4.5-1
- NumPy, 306, 349
  
- O'Neil, Cathy, 47, 333
- object, 52, 285, 469
- ocean, 293, 334, P7.1-1
- oil, P9.3-1
- Olson, Brian, P9.2-1
- open reading frame (ORF), P6.2-1
- operating system, 108
- operation, *see* abstract data type
- operator overloading, 491
- operator precedence, 25, 186
- ord function, 248
- ordered pair, 487
- ORF, *see* open reading frame (ORF)
- os module
  - access, 240
- os.path module
  - isfile, 240
- overflow, 119
  
- P=NP problem, O10.5-3
- Pair ADT, 487
- Palaeocene-Eocene Thermal Maximum (PETM), P7.1-3
- palindrome, 380, O12.4-5
- pandas, 339
- pandemic, *see* epidemic
- parallel lists, 327, 423
- parallel programming, 109
- parameters, 69, 87
- parasitoid, P4.1-1
- Parberry, Ian, 1, 46
- parity checking, 255
- Park, Stephen, 219
- Park-Miller PRNG, O5.2-2
- particle, 66, P8.3-1
  
- password, 194, 322, 382
- percolation, P9.3-1
- Petzold, Charles, 127
- phase transition, P8.2-1
- phone tree, 45
- physics, P8.2-1
- pixel, 118, 353, O10.5-2, P9.2-2
- plagiarism, 277
- plurality voting, P7.6-1
- political science, 485, P5.1-1
- polling, P5.1-1
- Polya, George, 2
- polymorphism, 491
- polynomial-time algorithm, 441, O10.5-3
- population, 123, 129, 330, P11.2-1
- population dynamics simulation, 130–136, O4.4-1
- postcondition, 201
- power set, 387
- precision
  - limited, 119, 354, O3.4-2
  - unlimited, 119
- precondition, 200
- predator-prey model, P4.4-1
- predicate function, 182
- prime number, 426, O12.5-2
- print function, 28, 135
- privacy, 334
- private method, O12.5-3
- PRNG, *see* pseudorandom number generator
- probability distribution, O5.3-1
  - chi-squared, *see* chi-squared distribution
  - Gaussian, *see* normal distribution
  - normal, *see* normal distribution
  - uniform, *see* uniform distribution
- probability mass function, 320
- problem, 3, 129, 365
- processor, 109
- profit, 83, 140, 154, 159, 397, 404, O7.5-11, P7.3-1
- program, 23
- programming language, 23
- Project Gutenberg, 240, 245
- prokaryote, O6.8-3, P6.2-1
- promoter, O6.8-2
- prompt, 24
- protein, 443, O6.8-13
- pseudocode, 10, O9.6-2
- pseudoplasmodium, P12.3-1

- pseudorandom number generator, 166, O5.2-1
- Pythagorean theorem, O12.3-6
- Python shell, 23
- quadratic growth, 162
- quadratic Koch curve, 373
- quadratic-time algorithm, 282, 423, 432, 433, 439, O7.5-7
- query, 31, 409, 423, O6.8-10, P10.1-1
- queue, 453, O12.4-6
- radians, 88
- radiocarbon dating, O4.4-12
- raise, O12.4-3
- RAM, *see* memory
- random graph, 464
- random module, 74, 166, O5.3-1
  - choice, OA-6
  - gauss, OA-4
  - random, 166, OA-4
  - randrange, OA-4
  - sample, OA-6
  - seed, OA-4
  - shuffle, OA-6
  - uniform, O5.3-4
- random number generator, 166
  - true, 166, 219
- random walk, 66, 166, O5.3-4, P5.2-1
  - biased, 177
- randomness, 165, O5.2-3
- range function, 58, 137, 144
- rank, 494, P7.2-2
- rate
  - birth, O4.4-13, P4.4-1
  - clock, *see* clock rate
  - death, O4.4-13, P4.4-1
  - decay, O4.4-4
  - growth, *see* growth rate
  - infection, O4.4-9
  - interest, *see* interest rate
  - product adoption, P4.3-1
  - recovery, O4.4-8
  - sampling, 96
  - streamflow, P7.5-2
  - unemployment, *see* unemployment rate
- reading level, 4
- recurrence relation, 390, 393, *see also*
  - difference equation, O4.4-1
  - closed form, 395
- recursion, 365–405, 415–417, 433–441
- register, 109
- regression analysis, O7.6-1
- regression testing, 207, 234
- relational database, 409
- relational operators, *see* comparison operators
- remainder, 121, O12.4-4
- repetition operator, 34
- reproduction number, 160
- Resnick, Mitchell, 363
- return, 90, 192
- return value, 24, 87
- reversing a string, O12.4-3
- Reynolds, Craig, 500, O12.3-1
- RGB color model, 60, 353
- RNA, O6.8-2
- RNG, *see* random number generator
- robot, 400, P7.7-1
- rock-paper-scissors-lizard-Spock, 217
- round function, 28
- salary, 321
- sampling, P7.1-2
- satellite data, 423, P10.2-4
- scalability, 42, O6.7-4
- scale-free networks, 462
- Schelling model, 470, P8.1-1
- Schelling, Thomas, P8.1-1
- Schutt, Rachel, 333
- scope, 70, 98
- Screen class, 57, OA-3
  - bgcolor, OA-3
  - bgpic, 62, OA-3
  - colormode, OA-3
  - exitonclick, 57, OA-3
  - mainloop, 74, OA-3
  - numinput, OA-3
  - onclick, 74, OA-3
  - setup, 62, OA-3
  - setworldcoordinates, 62, 143, 147, O12.3-11, P7.7-2
  - textinput, OA-3
  - tracer, O12.3-11
  - update, OA-3
- search, 260, 407
  - binary, *see* binary search algorithm
  - binary search tree, P10.2-2
  - breadth-first, *see* breadth-first search
  - database, 409

- depth-first, *see* depth-first search
- hash table, O12.5-4, P12.2-1
- linear, *see* linear search algorithm
- open reading frames, P6.2-1
- table, 338
- web, 4, 407
- secondary storage, 110
- segregation, P8.1-1
- selection sort algorithm, 418–427
- self-documenting, 28, 84
- self-similarity, 365, 375, 415, P10.2-5
- Senate, 485, 498
- sentiment analysis, 318
- sequential search, *see* linear search algorithm
- set** class, 263
- Shakespeare, William, 365, 406
- Shasha, Dennis, 283
- shell, *see* Python shell
- Shiflet, Angela, 164, 500
- Shiflet, George, 164, 500
- short circuit evaluation, 183, 381
- side effect, 78, 201
- Sierpinski carpet, 375
- Sierpinski triangle, 373
- Sieve of Eratosthenes, 426
- sign and magnitude, O3.4-2
- simulation, 129
  - agent-based, *see* agent-based simulation
  - cellular automaton, *see* cellular automaton
  - network, *see* network, simulation on a
  - population dynamics, *see* population dynamics simulation
- SIR model, O4.4-8, P11.2-1
- SIS model, O4.4-12
- slicing, 252, 288
- small-world network, 458
- smoothing data, 294, P7.1-2
- snake\_case, 84
- Sneetches, P8.1-1
- social network, 136, 166, 444, 446, P11.1-1
- sociology, P12.2-2
- sorting
  - insertion, *see* insertion sort algorithm
  - merge, *see* merge sort algorithm
  - selection, *see* selection sort algorithm
  - Timsort, *see* Timsort
- sparse, 458, O12.3-2
- special methods, 486–498, OA-8
  - `__add__`, 491, OA-8
  - `__contains__`, O12.5-8
  - `__delitem__`, OA-8
  - `__eq__`, 493, OA-8
  - `__floordiv__`, 492, OA-8
  - `__ge__`, 493, OA-8
  - `__getitem__`, 494, O12.5-5
  - `__gt__`, 493, OA-8
  - `__init__`, 473, 488, OA-8
  - `__le__`, 493, OA-8
  - `__len__`, OA-8
  - `__lt__`, 493, 494, OA-8
  - `__mul__`, 492, OA-8
  - `__ne__`, 493, OA-8
  - `__setitem__`, 494, O12.5-5
  - `__str__`, 493, OA-8
  - `__sub__`, 492, OA-8
  - `__truediv__`, 492, OA-8
- SQL, 409
- stack, O12.4-1, P9.1-1
- standard deviation, O5.3-5, P7.3-1
- start codon, O6.8-3, P6.2-1
- statement, 10
- statistics, descriptive, 286–292, 486
- stemming, 222
- Stewart, Ian, 283
- stop codon, O6.8-3, P6.2-1
- stop words, 222, 309, 316
- str** class, 222–282, OA-5
  - concatenation operator `+`, 27
  - `count`, OA-5
  - `endswith`, 237, OA-5
  - `find`, 257, OA-5
  - `join`, 309
  - `lower`, 224, 273, OA-5
  - `lstrip`, OA-5
  - repetition operator `*`, 34
  - `replace`, 224, OA-5
  - `rstrip`, 241, OA-5
  - `split`, 228, 327, OA-5
  - `startswith`, 244, OA-5
  - `strip`, OA-5
  - `upper`, OA-5
- str** function, 27
- strategy, 215, 217, P11.2-2
- streamflow, P7.5-2
- string, 24, 61, *see also* **str** class
- string accumulator, 225, 281, O6.8-5
- Strogatz, Steven, 468

- subproblem, 7, 376, 379, 380, 388, 392, 396, 400, 415, P10.2-5
- Super Diego, 52, 106
- supercomputer, 109
- swap, 21, 34, 96, 308, 419, 423, 425, 433, P7.7-3
- swarm intelligence, O12.3-1
- syntax, 23
- syntax error, 29
- sys module
  - setrecursionlimit, P9.2-6
- tab character, 98
- tab-separated values, 330, 331, 485, O7.7-7, P11.3-1
- technology, 5, O4.4-7
- tectonic plates, 325
- temperature, 34, 95, 97, 194, 293, 330, 334, 336, P7.1-1
- test case, 205
- tetrahedron, 88
- text analysis
  - bag of words model, 317
  - bigrams, 317
  - dot plot, 272
  - n*-grams, 277, 317
  - normalization, 222
  - reading level, 6, 25
  - sentiment analysis, 318
  - stop words, 309, 316
  - tokenization, 222
  - vocabulary, O7.5-9
- threads, 109
- three-dimensional, O6.8-2, P12.4-1
- threshold, P9.3-3
- time complexity, 40, 162, O6.7-1
  - asymptotic, *see* asymptotic time complexity
  - best-case, 431, O6.7-1
  - constant, *see* constant-time algorithm
  - linear, *see* linear-time algorithm
  - logarithmic, *see* logarithmic-time algorithm
  - $n \log n$ , *see*  $n \log n$ -time algorithm
  - quadratic, *see* quadratic-time algorithm
  - worst-case, O6.7-1
- time module, 97, O6.7-9
- Timsort, 433
- tipping point, *see* phase transition
- tkinter module, 357, 481
- token, 222
- tokenization, 222
- top-down design, 8
- tortoise, 52
- torus, 479
- tour, P7.7-1
- Tower of Hanoi, 388
- trace table, 11, 16
- tracking, 331, P12.1-1
- tractable, O10.5-1
- tradeoff, 120, O4.4-6
- transcription, O6.8-2
- transistor, O10.5-2, P9.3-2
- translation, O6.8-2
- transportation, P12.1-1
- traveling salesperson problem (TSP), P7.7-1
- tree, 9, 238, 365
  - binary search, *see* binary search tree
  - Brownian, *see* Brownian tree
  - fractal, *see* fractal, tree
  - functional decomposition, *see* functional decomposition
  - Lindenmayer system, *see* Lindenmayer system, tree
  - phone, *see* phone tree
  - phylogenetic, O6.8-4
- triangular numbers, 163
- tribbles, 160
- trigonometry, 88, O12.3-6, P8.3-2
- truth table, 115
- try/except statements, 207, 286
- tuple, 62, 319, 322, 345, 353, 374, 423, 488, 489, 493, O7.5-11, P7.7-1
  - as dictionary key, 353, O12.3-2
- Turing Award, 47, 106, 500, O12.4-1
- Turing complete, 126
- Turing machine, 125, O9.6-1
- Turing, Alan, 47, 125, 128
- Turtle class, 51, OA-2
  - backward, OA-2
  - begin\_fill, 61, OA-2
  - circle, OA-2
  - distance, 66
  - dot, 62, OA-2
  - down, 71, OA-2
  - end\_fill, 61, OA-2
  - fillcolor, 61, OA-2
  - forward, 53, OA-2
  - getscreen, 57, OA-2

- goto, 62, 142, OA-2
- heading, 55, OA-2
- hideturtle, OA-2
- home, OA-2
- left, 55, OA-2
- pencolor, 60, OA-2
- pensize, 71, OA-2
- position, 53, OA-2
- right, 71, OA-2
- setheading, OA-2
- speed, 57, OA-2
- towards, 66
- up, 62, 71, OA-2
- xcor, OA-2
- ycor, OA-2
- turtle graphics, 49
- turtle** module, 52
- two's complement, O3.4-2
- type, 26
- type** function, 26
- unemployment rate, 297, P7.2-1
- Unger, Ron, 363
- Unicode, 248, O12.5-8
- uniform distribution, O5.3-1
- uniform resource locator, 243
- unit testing, 204, 233
  - doctest** module, 205
  - unittest** module, 205
- universal, *see* Turing complete
- URL, *see* uniform resource locator
- UTF-8, 241, 248
- vaccination, O4.4-12, P11.2-1
- vampire, 154, 160
- van Rossum, Guido, 23, 47
- variable, 12, 24
- variance, 287, 291, O7.6-6, P9.2-2
- vector, 306, 487, O12.3-5, P12.4-1
  - unit, O12.3-8
- velocity, O12.3-5, P12.4-1
- Viète's product, O4.5-7
- virtual machine, 112
- virus, O4.4-8, P11.2-1
- vocabulary, O7.5-9
- voting, P7.6-1
- vpython** module, P8.3-2
- Wallis product, O4.5-7
- while loop, 155–160, 212–218, 378, 412, 429, 456, O12.3-6, P5.2-2
- whitespace characters, 245
- wind chill, 34
- XML, P6.1-1
- zebra, Burchell's, 330
- zodiac, Chinese, 197
- zombie, 153, 159